# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S11 1 | 206 | (remote same (test$5 near (setting or configur$5))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 11:04 |
| S11 2 | 1 | "6169883".pn. and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/04/04 08:11 |
| S11 3 | 1 | "6687499".pn. and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:18 |
| S11 4 | 1986 | ((auxiliary or overhead) adj channel) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:20 |
| S11 5 | 49 | (((auxiliary or overhead) adj channel) same ((signalling or control) adj (packet or cell or frame or data))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:52 |
| S11 6 | 1 | test.ti. and (((auxiliary or overhead) adj channel) and ((signalling or control) adj (packet or cell or frame or data))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:53 |
| S11 7 | 3 | test$6.ti. and (((auxiliary or overhead) adj channel) and ((signalling or control) adj (packet or cell or frame or data))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:53 |
| S11 8 | 10 | ("4910794" \| "5784406" \| "5937345" \| "5943617" \| "6542538").PN. OR ("6687499").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 08:59 |
| S11 9 | 9493 | (transmit$6 with test$5 with (packet or cell or data or frame or sequence)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 11:07 |
| S12 0 | 42 | (transmit$6 with test$5 with (packet or cell or data or frame or sequence)) and FER and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 11:53 |
| S12 1 | 166 | ((loop adj2 back) or (loopback)).ti. and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 11:53 |

# EAST Search History

| S12 2 | 63 | (((loop adj2 back) or (loopback) and (wireless or CDMA))).ti. and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 13:35 |
|---|---|---|---|---|---|---|
| S12 3 | 41037 | (test adj (packet or cell or frame or data)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 08:46 |
| S12 4 | 3464 | ((test adj (packet or cell or frame or data) same sequence)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 13:36 |
| S12 5 | 107 | ((test adj (packet or cell or frame or data)) same (sequence adj (id or number or identi$6))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 13:38 |
| S12 6 | 4 | ((test adj (packet or cell or frame or data)) same (sequence adj (id or number or identi$6))) and ACK and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 13:58 |
| S12 7 | 71 | ((test adj (packet or cell or frame or data)) same (configuration or initialization)) and ACK and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 14:00 |
| S12 8 | 2032 | ((test adj (packet or cell or frame or data)) same (configuration or initialization)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 13:59 |
| S12 9 | 16 | ((test adj (packet or cell or frame or data)) with (configuration or initialization)) and ACK and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 08:44 |
| S13 0 | 33 | ((test adj (packet or cell or frame or data)) with format) and ACK and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:13 |
| S13 1 | 771 | (overhead adj channel) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:13 |
| S13 2 | 1986 | ((overhead or auxiliary) adj channel) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:13 |

# EAST Search History

| S13 3 | 0 | (((overhead or auxiliary) adj channel) with ((DRC or ACK) adj channel)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:14 |
|---|---|---|---|---|---|---|
| S13 4 | 0 | (((overhead or auxiliary) adj channel) same ((DRC or ACK) adj channel)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:19 |
| S13 5 | 1 | "6031845".pn. and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:18 |
| S13 6 | 3 | (((overhead or auxiliary) adj channel) and ((DRC or ACK) adj channel)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:23 |
| S13 7 | 0 | (((DRC or ACK) adj channel) with (signalling)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 16:57 |
| S13 8 | 22 | (((DRC or ACK) adj channel) with ((((control or signal$5) adj (packet or cell or frame or data)))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 17:02 |
| S13 9 | 146 | (DRC adj (packet or cell or frame or data)) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/10 17:02 |
| S14 0 | 1 | (((((loop adj back) or (loopback)) adj (packet or cell or frame or data)) with (configuration or initialization)) and ACK and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 08:45 |
| S14 1 | 135 | (test adj (packet or cell or frame or data)) and FER and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 08:46 |
| S14 2 | 28 | (test adj (packet or cell or frame or data)) and FER and (uplink or (reverse adj (link or channel or path))) and (downlink or (forward adj (link or channel or path))) and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 09:05 |
| S14 3 | 5 | (test adj (packet or cell or frame or data)) and FER and (uplink or (reverse adj (link or channel or path))) and (downlink or (forward adj (link or channel or path))) and counter and (@rlad<"20011210" or @ad<"20011210") | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 09:05 |